# Home

# Contents

#### Overview

- Overview
- Infrastructure

#### Content

- Introduction
- Spatial Data
- Geovisualisation
- Spatial Feature Engineering (I)
- Spatial Feature Engineering (II)
- OpenStreetMap
- Transport costs
- Web mapping with CARTO

#### Epilogue

- Datasets
- Further Resources
- Bibliography

# **GDS4AE** - Geographic Data Science for Applied Economists

- Dani Arribas-Bel [@darribas]
- <u>Diego Puga [@ProfDiegoPuga]</u>

#### Note

A PDF version of this course is available for download here

### Contact

Dani Arribas-Bel - D.Arribas-Bel [at] liverpool.ac.uk Senior Lecturer in Geographic Data Science Office 508, Roxby Building, University of Liverpool - 74 Bedford St S, Liverpool, L69 7ZT, United Kingdom.

```
Diego Puga - diego.puga [at] cemfi.es
Professor
CEMFI,
Casado del Alisal 5,
28014 Madrid,
Spain.
```

## Citation

If you use materials from this resource in your own work, we recommend the following citation:

```
@article{darribas_gds_course,
   author = {Dani Arribas-Bel and Diego Puga},
   title = {Geographic Data Science for Applied Economists},
   year = 2023,
   annote = {\href{https://darribas.org/gds4ae}}
}
```

# Overview

This resource provides an introduction to Geographic Data Science for applied economists using Python. It has been designed to be delivered within 15 hours of teaching, split into ten sessions of 1.5h each.

## How to follow along

**<u>GDS4AE</u>** is best followed if you can interactively tinker with its content. To do that, you will need two things:

- 1. A computer set up with the Jupyter Lab environment and all the required libraries (please see the <u>Software stack</u> part in the <u>Infrastructure</u> section for instructions)
- A local copy of the materials that you can run on your own computer (see the <u>repository</u> section in the <u>Infrastructure</u> section for instructions)

Blocks have different components:

- 📖 Ahead of time...: materials to go on your own ahead of the live session
- 💻 Hands-on coding: content for the live session
- \* Next steps: a few pointers to continue your journey on the area the block covers

### Content

The structure of content is divided in nine blocks:

- Introduction: get familiar with the computational envirionment of modern data science
- <u>Spatial Data</u>: what do spatial data look like in Python?
- Geovisualisation: make (good) data maps
- Spatial Feature Engineering (Part I and Part II): augment and massage your data using Geography before you feed them into your model
- OpenStreetMap: acquire data from the largest geo-table in the world
- Transport Costs: "getting there" doesn't always cost the same
- CARTO: explore publishing web maps with CARTO

Each block has its own section and is designed to be delivered in 1.5 hours approximately. The content of some of these blocks relies on external resources, all of them freely available. When that is the case, enough detail is provided in the to understand how additional material fits in.

## Why Python?

There are several reasons why we have made this choice. Many of them are summarised nicely in <u>this article by The Economist</u> (paywalled).:w

Source: XKCD



### Data

All the datasets used in this resource is freely available. Some of them have been developed in the context of the resource, others are borrowed from other resources. A full list of the datasets used, together with links to the original source, or to reproducible code to generate the data used is available in the <u>Datasets</u> page.

### License

The materials in this course are published under a <u>Creative Commons BY-SA 4.0</u> license. This grants you the right to use them freely and (re-)distribute them so long as you give credit to the original creators (see the <u>Home page</u> for a suggested citation) and license derivative work under the same license.

# Infrastructure

This page covers a few technical aspects on how the course is built, kept up to date, and how you can create a computational environment to run all the code it includes.

### Software stack

This course is best followed if you can not only read its content but also interact with its code and even branch out to write your own code and play on your own. For that, you will need to have installed on your computer a series of interconnected software packages; this is what we call a *stack*.

Instructions on how to install a software stack that allows you to run the materials of this course depend on the operating system you are using. Detailed guides are available for the main systems on the following resource, provided by the <u>Geographic Data Science Lab</u>:

https://gdsl-ul.github.io/soft\_install/



### Github repository

All the materials for this course and this website are available on the following Github repository:

https://github.com/darribas/gds4ae



If you are interested, you can download a compressed .zip file with the most up-to-date version of all the materials, including the HTML for this website at:

Icon made by <u>Freepik</u> from <u>www.flaticon.com</u>

https://github.com/darribas/gds4ae/archive/master.zip



### Containerised backend

The course is developed, built and tested using the <u>gds\_env</u>, a containerised platform for Geographic Data Science. You can read more about the <u>gds\_env</u> project at:



### Binder

<u>Binder</u> is service that allows you to run scientific projects in the cloud for free. Binder can spin up "ephemeral" instances that allow you to run code on the browser without any local setup. It is possible to run the course on Binder by clicking on the button below:



#### 🛕 Warning

It is important to note Binder instances are *ephemeral* in the sense that the data and content created in a session is **NOT** saved anywhere and is deleted as soon as the browser tab is closed.

Binder is also the backend this website relies on when you click on the rocket icon (**4**) on a page with code. Remember, you can play with the code interactively but, once you close the tab, all the changes are lost.

# Introduction

## Geographic Data Science

#### Note

This section is adapted from <u>Block A</u> of the GDS Course [AB19].

Before we learn *how* to do Geographic Data Science or even *why* you would want to do it, let's start with *what* it is. We will rely on two resources:

• First, in this video, Dani Arribas-Bel covers the building blocks at the First Spatial Data Science Conference, organised by CARTO

20:50

 Second, Geographic Data Science, by Alex Singleton and Dani Arribas-Bel [SAB19]

## The computational stack

One of the core learning outcomes of this course is to get familiar with the modern computational environment that is used across industry and science to "do" Data Science. In this section, we will learn about ecosystem of concepts and tools that come together to provide the building blocks of much computational work in data science these days.

URL
geographical analysis
Special Issue
Geographic Data Science
Alex Singleton 🕏 , Daniel Arribas-Bel 💿 Department of Geography and Planning, University of Liverpoot, Liberpoot, LBP 727, U.K.

Source: The Atlantic



• Ten simple rules for writing and sharing computational analyses in Jupyter Notebooks, by Adam Rule et al. [RBZ+19]



GIS and Computational Notebooks, by Geoff Boeing and Dani Arribas-Bel [BAB20]



Now we are familiar with the conceptual pillars on top of which we will be working, let's switch gears into a more practical perspective. The following two clips cover the basics of Jupyter Lab, the frontend that glues all the pieces together, and Jupyter Notebooks, the file format, application, and protocol that allows us to record, store and share workflows.

#### Note

The clips are sourced from <u>Block A</u> of the GDS Course [AB19]

Jupyter Lab

Jupyter Notebooks

# **Spatial Data**

### 📖 Ahead of time...

This block is all about understanding spatial data, both conceptually and practically. Before your fingers get on the keyboard, the following readings will help you get going and familiar with core ideas:

- Chapter 1 of the GDS Book [RABWng], which provides a conceptual overview of representing Geography in data
- <u>Chapter 3</u> of the GDS Book [<u>RABWng</u>], a sister chapter with a more applied perspective on how concepts are implemented in computer data structures

Additionally, parts of this block are based and source from <u>Block C</u> in the GDS Course [AB19].

💻 Hands-on coding

(Geographic) tables

#### Points

Data If you want to read

If you want to read more about the data sources behind this dataset, head to the Datasets section

Local files Online read

Assuming you have the file locally on the path .../data/:

```
pts = geopandas.read_file("../data/madrid_abb.gpkg")
```

#### Operation of the second sec

Sometimes, points are provided as separate columns in an otherwise non-spatial table. For example imagine we have an object cols which looks like:

cols.head()

 X
 Y

 0
 0.259602
 0.854351

 1
 0.661662
 0.782427

 2
 0.932211
 0.319130

 3
 0.395249
 0.469885

 4
 0.303446
 0.008525

In this case, we can convert those into proper geometries by:

```
pts = geopandas.GeoSeries(
    geopandas.points_from_xy(cols["X"], cols["Y"])
)
```

pts.info()

<class 'geopandas.geodataframe.geodataframe'=""> RangeIndex: 18399 entries, 0 to 18398 Data columns (total 16 columns):</class>					
#	Column	Non-Null Count	Dtype		
Θ	price	18399 non-null	object		
1	price_usd	18399 non-null	float64		
2	log1p_price_usd	18399 non-null	float64		
3	accommodates	18399 non-null	int64		
4	bathrooms	18399 non-null	object		
5	bedrooms	18399 non-null	float64		
6	beds	18399 non-null	float64		
7	neighbourhood	18399 non-null	object		
8	room_type	18399 non-null	object		
9	property_type	18399 non-null	object		
10	WiFi	18399 non-null	object		
11	Coffee	18399 non-null	object		
12	Gym	18399 non-null	object		
13	Parking	18399 non-null	object		
14	km_to_retiro	18399 non-null	float64		
15	geometry	18399 non-null	geometry		
dtype	<pre>dtypes: float64(5), geometry(1), int64(1), object(9)</pre>				
memory usage: 2.2+ MB					

pts.head()

	price	price_usd	log1p_price_usd	accommodates	bathrooms	bedroon
0	\$60.00	60.0	4.110874	2	1 shared bath	1
1	\$31.00	31.0	3.465736	1	1 bath	1
2	\$60.00	60.0	4.110874	6	2 baths	3
3	\$115.00	115.0	4.753590	4	1.5 baths	2
4	\$26.00	26.0	3.295837	1	1 private bath	1

#### Challenge

Show the top ten values of of price and neighbourhood

#### Lines

Local files Online read

Assuming you have the file locally on the path .../data/:

pts = geopandas.read\_file("../data/arturo\_streets.gpkg")

lines.info()

```
<class 'geopandas.geodataframe.GeoDataFrame'>
RangeIndex: 66499 entries, 0 to 66498
Data columns (total 9 columns):
    Column
                       Non-Null Count Dtype
#
- - -
    - - - - - -
                       -----
                                       - - - -
    OGC_FID
                66499 non-null object
0
1
    dm_id
                       66499 non-null object
    dist_barri
2
                       66483 non-null object
    average_quality 66499 non-null float64
3
4
    population_density 66499 non-null float64
5
    Х
                       66499 non-null float64
                       66499 non-null float64
6
    Υ
7
                       5465 non-null float64
    value
8
    geometry
                       66499 non-null geometry
dtypes: float64(5), geometry(1), object(3)
memory usage: 4.6+ MB
```

lines.loc[0, "geometry"]

Louild/jupyter\_execute/content/pages/02-Spatial\_data\_17\_0.svg

#### Challenge

Print descriptive statistics for population\_density and average\_quality

#### Polygons

Local files Online read

Assuming you have the file locally on the path .../data/:

polys = geopandas.read\_file("../data/neighbourhoods.geojson")

nbourhood Palacio mbajadores	neighbourhood_group Centro Centro	geometry MULTIPOLYGON (((-3.70584 40.42030, -3.70625 40 MULTIPOLYGON (((-3.70384 40.41432, -3.70277 40
Palacio nbajadores	Centro Centro	MULTIPOLYGON (((-3.70584 40.42030, -3.70625 40 MULTIPOLYGON (((-3.70384 40.41432, -3.70277 40
mbajadores	Centro	MULTIPOLYGON (((-3.70384 40.41432, -3.70277 40
Cortes	Centro	MULTIPOLYGON (((-3.69796 40.41929, -3.69645 40
Justicia	Centro	MULTIPOLYGON (((-3.69546 40.41898, -3.69645 40
Jniversidad	Centro	MULTIPOLYGON (((-3.70107 40.42134, -3.70155 40
	Justicia Jniversidad	Justicia Centro Jniversidad Centro

	neighbourhood	neighbourhood_group	geometry		
13	Pacífico	Retiro	MULTIPOLYGON (((-3.67015 40.40654, -3.67017 40		
14	Adelfas	Retiro	MULTIPOLYGON (((-3.67283 40.39468, -3.67343 40		
15	Estrella	Retiro	MULTIPOLYGON (((-3.66506 40.40647, -3.66512 40		
16	Ibiza	Retiro	MULTIPOLYGON (((-3.66916 40.41796, -3.66927 40		
17	Jerónimos	Retiro	MULTIPOLYGON (((-3.67874 40.40751, -3.67992 40		
18	Niño Jesús	Retiro	MULTIPOLYGON (((-3.66994 40.40850, -3.67012 40		
polys.neighbourhood_group.unique()					
array(['Centro', 'Arganzuela', 'Retiro', 'Salamanca', 'Chamartín', 'Moratalaz', 'Tetuán', 'Chamberí', 'Fuencarral - El Pardo', 'Moncloa - Aravaca', 'Puente de Vallecas', 'Latina', 'Carabanchel', 'Usera', 'Ciudad Lineal', 'Hortaleza', 'Villaverde', 'Villa de Vallecas', 'Vicálvaro', 'San Blas - Canillejas', 'Barajas'], dtype=object)					

### Challenge

Print the neighborhoods within the "Latina" group

#### Surfaces

Local files Online read

Assuming you have the file locally on the path .../data/:

```
sat = xarray.open_rasterio("../data/madrid_scene_s2_10_tc.tif")
```

sat



Attributes:

AREA\_OR\_... Area scale\_factor : 1.0 add\_offset : 0.0

#### Challenge

Subset sat to band 2 and the section within [444444, 455555] of Easting and [4470000, 4480000] of Northing.

- How many pixels does it contain?
- What if you used bands 1 and 3 instead?

#### Visualisation

#### IMPORTANT

You will need version 0.10.0 or greater of geopandas to use explore.



See more basemap options <u>here</u>.

Louild/jupyter\_execute/content/pages/02-Spatial\_data\_39\_0.png



Louild/jupyter\_execute/content/pages/02-Spatial\_data\_42\_0.png

#### Challenge

Make three plots of sat, plotting one single band in each

#### Spatial operations

(Re-)Projections

pts.crs

```
<Geographic 2D CRS: EPSG:4326>
Name: WGS 84
Axis Info [ellipsoidal]:
- Lat[north]: Geodetic latitude (degree)
- Lon[east]: Geodetic longitude (degree)
Area of Use:
- name: World.
- bounds: (-180.0, -90.0, 180.0, 90.0)
Datum: World Geodetic System 1984 ensemble
- Ellipsoid: WGS 84
- Prime Meridian: Greenwich
```

sat.rio.crs

CRS.from\_epsg(32630)

pts.to\_crs(sat.rio.crs).crs

```
<Projected CRS: EPSG:32630>
Name: WGS 84 / UTM zone 30N
Axis Info [cartesian]:
- [east]: Easting (metre)
- [north]: Northing (metre)
Area of Use:
- undefined
Coordinate Operation:
- name: UTM zone 30N
- method: Transverse Mercator
Datum: World Geodetic System 1984
- Ellipsoid: WGS 84
- Prime Meridian: Greenwich
```

sat.rio.reproject(pts.crs).rio.crs

CRS.from\_epsg(4326)

```
# All into Web Mercator (EPSG:3857)
f, ax = plt.subplots(1, figsize=(12, 12))
## Satellite image
sat.rio.reproject(
    "EPSG: 3857"
).plot.imshow(
    ax=ax
)
## Neighbourhoods
polys.to_crs(epsg=3857).plot(
    linewidth=2,
    edgecolor="xkcd:lime",
    facecolor="none",
    ax=ax
)
## Labels
contextily.add_basemap( # No need to reproject
    ax,
    source=contextily.providers.CartoDB.VoyagerOnlyLabels,
);
```

Logither: <a href="mailto:build/jupyter\_execute/content/pages/02-Spatial\_data\_50\_0.png">build/jupyter\_execute/content/pages/02-Spatial\_data\_50\_0.png</a>

Centroids

Note the warning that geometric operations with non-project CRS object result in biases.

polys.centroid

/tmp/ipykernel\_2058/2101097851.py:1: UserWarning: Geometry is in a geographic CRS. Results from 'centroid' are likely incorrect. Use 'GeoSeries.to\_crs()' to re-project geometries to a projected CRS before this operation.

polys.centroid

POINT (-3.71398 40.41543) 0 1 POINT (-3.70237 40.40925) 2 POINT (-3.69674 40.41485) 3 POINT (-3.69657 40.42367) POINT (-3.70698 40.42568) 4 123 POINT (-3.59135 40.45656) 124 POINT (-3.59723 40.48441) POINT (-3.55847 40.47613) 125 POINT (-3.57889 40.47471) 126 POINT (-3.60718 40.46415) 127 Length: 128, dtype: geometry

lines.centroid

```
0
         POINT (444133.737 4482808.936)
1
         POINT (444192.064 4482878.034)
2
         POINT (444134.563 4482885.414)
3
         POINT (445612.661 4479335.686)
4
         POINT (445606.311 4479354.437)
66494
        POINT (451980.378 4478407.920)
        POINT (436975.438 4473143.749)
66495
66496
        POINT (442218.600 4478415.561)
        POINT (442213.869 4478346.700)
66497
66498
        POINT (442233.760 4478278.748)
Length: 66499, dtype: geometry
```

```
ax = polys.plot(color="purple")
polys.centroid.plot(
          ax=ax, color="lime", markersize=1
)
```

/tmp/ipykernel\_2058/1054587808.py:2: UserWarning: Geometry is in a geographic CRS. Results from 'centroid' are likely incorrect. Use 'GeoSeries.to\_crs()' to re-project geometries to a projected CRS before this operation.

```
polys.centroid.plot(
```

<Axes: >

build/jupyter\_execute/content/pages/02-Spatial\_data\_55\_2.png

Spatial joins

More information about spatial joins in geopandas is available on its <u>documentation</u> page

```
sj = geopandas.sjoin(
    lines,
    polys.to_crs(lines.crs)
)
```

sj.info()

<cla Inde Data</cla 	ss 'geopandas.geodata x: 69420 entries, 0 t columns (total 12 co	frame.GeoDataFra o 66438 lumns):	me'>	<pre># Subset of lines ax = sj.query(     "neighbourhood == ).plot(color="xkcd;bri</pre>
#	Column	Non-Null Count	Dtype	,
				# Subset of line centr
0	OGC_FID	69420 non-null	object	ax = sj.query(
1	dm_id	69420 non-null	object	).centroid.plot(
2	dist_barri	69414 non-null	object	color="xkcd:bright
3	average_quality	69420 non-null	float64	)
4	population_density	69420 non-null	float64	# Local baseman
5	Х	69420 non-null	float64	contextily.add_basemap
6	Y	69420 non-null	float64	ax,
7	value	5769 non-null	float64	crs=sj.crs,
8	geometry	69420 non-null	geometry	alpha=0.5
9	index_right	69420 non-null	int64	)
10	neighbourhood	69420 non-null	object	
11	neighbourhood_group	69420 non-null	object	
dtyp	es: float64(5), geome	try(1), int64(1)	, object(5)	
memo	ry usage: 6.9+ MB			

#### Areas

<pre>areas = polys.to_crs( epsg=25830 ).area * 1e-6 # Km2 areas.head()</pre>
0 1.471037
1 1.033253
2 0.592049
3 0.742031
4 0.947616
dtype: float64

#### Distances

L	cemfi = geopandas.tools.geocode(
	"Calle Casado del Alisal, 5, Madrid"
	).to_crs(epsg=25830)
	cemfi

	geometry	address
0	POINT (441477.245 4473939.537)	5, Calle Casado del Alisal, 28014, Calle Casad
<pre>polys.to_cr cemfi.c ).distance( cemfi.c )</pre>	rs( crs geometry	

/tmp/ipykernel\_2058/176561454.py:1: UserWarning: The indices of the two GeoSeries are different. polys.to\_crs(

```
0
       1491.338749
1
                 NaN
2
                 NaN
3
                 NaN
4
                 NaN
           . . .
123
                 NaN
124
                 NaN
125
                 NaN
126
                 NaN
127
                 NaN
Length: 128, dtype: float64
```

```
d2cemfi = polys.to_crs(
    cemfi.crs
).distance(
    cemfi.geometry[0] # NO index
)
d2cemfi.head()
```

```
0 1491.338749
1 565.418135
2 278.121017
3 650.926572
4 1196.771601
dtype: float64
```

#### Challenge

Give Task III in this block of the GDS course a go

### 🐾 Next steps

If you are interested in following up on some of the topics explored in this block, the following pointers might be useful:

- Although we have seen here geopandas only, all non-geographic operations on geo-tables are really thanks to pandas, the workhorse for tabular data in Python. Their <u>official documentation</u> is an excellent first stop. If you prefer a book, McKinney (2012) [McK12] is a great one.
- For more detail on geographic operations on geo-tables, the <u>Geopandas official documentation</u> is a great place to continue the journey.
- Surfaces, as covered here, are really an example of multi-dimensional labelled arrays. The library we use, xarray represents the cutting edge for working with these data structures in Python, and <u>their documentation</u> is a great place to wrap your head around how data of this type can be manipulated. For geographic extensions (CRS handling, reprojections, etc.), we have used rioxarray under the hood, and <u>its documentation</u> is also well worth checking.

## Geovisualisation

### 📖 Ahead of time...

This block is all about visualising statistical data on top of a geography. Although this task looks simple, there are a few technical and conceptual building blocks that it helps to understand before we try to make our own maps. Aim to complete the following readings by the time we get our hands on the keyboard:

ax = polys.assign( dist=d2cemfi/1000 ).plot("dist", legend= cemfi.to\_crs( polys.crs ).plot( marker="\*" markersize=15, color= label="CEMFI", ax=ax ) ax.legend() ax.set title( "Distance to CEMFI );

\_build/jupyter\_execute/co

- Block D of the GDS course [AB19], which provides an introduction to choropleths (statistical maps)
- Chapter 5 of the GDS Book [RABWng], discussing choropleths in more detail

### Hands-on coding

```
import geopandas
import xarray, rioxarray
import contextily
import seaborn as sns
from pysal.viz import mapclassify as mc
from legendgram import legendgram
import matplotlib.pyplot as plt
import palettable.matplotlib as palmpl
from splot.mapping import vba_choropleth
```

#### Data

Data If you want to read more about the data sources behind this dataset, head to the Datasets section

Local files 0

Online read

Assuming you have the file locally on the path .../data/:

```
db = geopandas.read_file("../data/cambodia_regional.gpkg")
```

db.info()		ax = db.to_crs(
<pre><class 'geopandas.geodataframe.g<br="">RangeIndex: 198 entries, 0 to 19 Data columns (total 6 columns): # Column Non-Null Count  0 adm2_name 198 non-null 1 adm2_altnm 122 non-null 2 motor_mean 198 non-null 3 walk_mean 198 non-null 4 no2_mean 198 non-null 5 geometry 108 non-null</class></pre>	eoDataFrame'> 7 Dtype  object object float64 float64 float64	<pre>().plot( edgecolor="red", facecolor="none", linewidth=2, alpha=0.25, figsize=(9, 9) ) contextily.add_basemap ax, source=contextily. ) ax.set_axis_off();</pre>
dtypes: float64(3), geometry(1),	object(2)	

We will use the average measurement of nitrogen dioxide (no2\_mean) by region throughout the block.

To make visualisation a bit easier below, we create an additional column with values rescaled:

db["no2\_viz"] = db["no2\_mean"] \* 1e5

This way, numbers are larger and will fit more easily on legends:

db[["no2\_mean", "no2\_viz"]].describe()

	no2_mean	no2_viz
count	198.000000	198.000000
mean	0.000032	3.236567
std	0.000017	1.743538
min	0.000014	1.377641
25%	0.000024	2.427438
50%	0.000029	2.922031
75%	0.000034	3.390426
max	0.000123	12.323324

#### Choropleths

```
ax = db.to_crs(
    epsg=3857
).plot(
    "no2_viz",
    legend=True,
    figsize=(12, 9)
)
contextily.add_basemap(
    ax,
    source=contextily.providers.CartoDB.VoyagerOnlyLabels,
    zoom=7
);
```

\_build/jupyter\_execute/content/pages/03-Geovisualisation\_15\_0.png

#### A classiffication problem

db["no2\_viz"].unique().shape

(198,)

sns.displot(
 db, x="no2\_viz", kde=True, aspect=2
);

\_build/jupyter\_execute/content/pages/03-Geovisualisation\_18\_0.png

#### How to assign colors?

#### Attention

To build an intuition behind each classification algorithm more easily, we create a helper method (plot\_classi) that generates a visualisation of a given classification.

Toggle the cell below if you are interested in the code behind it.

```
def plot_classi(classi, col, db):
   Illustrate a classiffication
    . . .
   Arguments
    _ _ _ _ _ _ _ _ _
   classi : mapclassify.classifiers
           Classification object
    col : str
            Column name used for `classi`
         : geopandas.GeoDataFrame
    db
            Geo-table with data for
            the classification
    .....
   f, ax = plt.subplots(figsize=(12, 6))
   ax.set_title(classi.name)
   # KDE
   sns.kdeplot(
        db[col], fill=True, ax=ax
    for i in range(0, len(classi.bins)-1):
       ax.axvline(classi.bins[i], color="red")
    # Map
   aux = f.add_axes([.6, .45, .32, .4])
   db.assign(lbls=classi.yb).plot(
        "lbls", cmap="viridis", ax=aux
    )
    aux.set_axis_off()
    return None
```

· Equal intervals

classi = mc.EqualInterval(db["no2\_viz"], k=7)
classi

EqualInterval

```
Interval Count
[1.38, 2.94] | 103
(2.94, 4.50] | 80
(4.50, 6.07] | 6
(6.07, 7.63] | 1
(7.63, 9.20] | 3
(9.20, 10.76] | 0
(10.76, 12.32] | 5
```

Luild/jupyter\_execute/content/pages/03-Geovisualisation\_24\_0.png

#### · Quantiles

```
classi = mc.Quantiles(db["no2_viz"], k=7)
classi
```

Quantiles

```
Interval Count
[ 1.38, 2.24] | 29
( 2.24, 2.50] | 28
( 2.50, 2.76] | 28
( 2.76, 3.02] | 28
( 3.02, 3.35] | 28
( 3.35, 3.76] | 28
( 3.76, 12.32] | 29
```

Louild/jupyter\_execute/content/pages/03-Geovisualisation\_27\_0.png

```
classi = mc.FisherJenks(db["no2_viz"], k=7)
classi
```

FisherJenks

	Inte	rval	Count
[	1.38,	2.06]	20
(	2.06,	2.69]	58
(	2.69,	3.30]	62
(	3.30,	4.19]	42
(	4.19,	5.64]	7
(	5.64,	9.19]	4
(	9.19,	12.32]	5

Louild/jupyter\_execute/content/pages/03-Geovisualisation\_30\_0.png

Now let's dig into the internals of classi:

classi FisherJenks Interval Count [ 1.38, 2.06] | 20 2.06, 2.69] 58 ( (2.69, 3.30] 62 ( 3.30, 4.19] 42 (4.19, 5.64] | 7 ( 5.64, 9.19] | 4 ( 9.19, 12.32] | 5 classi.k 7 classi.bins array([ 2.05617382, 2.6925931 , 3.30281182, 4.19124954, 5.63804861, 9.19190206, 12.32332434]) classi.yb array([2, 3, 3, 1, 1, 2, 1, 1, 1, 0, 0, 3, 2, 1, 1, 1, 3, 1, 1, 1, 2, 0, 0, 4, 2, 1, 3, 1, 0, 0, 0, 1, 2, 2, 6, 5, 4, 2, 1, 3, 2, 3, 2, 1,  $2, \ 3, \ 2, \ 3, \ 1, \ 1, \ 3, \ 1, \ 2, \ 3, \ 3, \ 1, \ 3, \ 3, \ 1, \ 0, \ 1, \ 1, \ 3, \ 2, \ 0, \ 0,$ 2, 1, 0, 0, 0, 2, 0, 1, 3, 3, 3, 2, 3, 2, 3, 1, 2, 3, 1, 1, 1, 1, 2, 1, 2, 2, 1, 2, 2, 2, 1, 3, 2, 3, 2, 2, 2, 1, 2, 3, 3, 2, 0, 3,  $1, \ 0, \ 1, \ 2, \ 1, \ 1, \ 2, \ 1, \ 2, \ 6, \ 5, \ 6, \ 2, \ 2, \ 3, \ 6, \ 3, \ 4, \ 3, \ 4, \ 2, \ 3,$  $0,\ 2,\ 5,\ 6,\ 4,\ 5,\ 2,\ 2,\ 2,\ 1,\ 1,\ 1,\ 2,\ 1,\ 2,\ 3,\ 3,\ 2,\ 2,\ 2,\ 3,\ 2,$ 1, 1, 3, 4, 2, 1, 3, 1, 2, 3, 4, 0, 1, 1, 2, 1, 2, 2, 2, 2, 1, 2, 2, 2, 0, 0, 1, 2, 3, 3, 3, 3, 3, 2, 1, 2, 1, 1, 1, 2, 2, 1, 3, 1])

How many colors?



Attention

The code used to generate this figure uses more advanced features than planned for this course. If you want to inspect it, toggle the cell below.

```
vals = [3, 5, 7, 9, 12, 15]
algos = ["equal_interval", "quantiles", "fisherjenks"]
f, axs = plt.subplots(
   len(algos), len(vals), figsize=(3*len(vals), 3*len(algos))
)
for i in range(len(algos)):
   for j in range(len(vals)):
        db.plot(
            "no2_viz", scheme=algos[i], k=vals[j], ax=axs[i, j]
        )
        axs[i, j].set_axis_off()
        if i==0:
            axs[i, j].set_title(f"k={vals[j]}")
        if j==0:
            axs[i, j].text(
                -0.1,
                0.5,
                algos[i],
                horizontalalignment='center',
                verticalalignment='center',
                transform=axs[i, j].transAxes,
                rotation=90
            )
```





#### Using the right color

Choropleths on Geo-Tables

### Streamlined

How can we create classifications from data on geo-tables? Two ways:

• Directly within **plot** (only for some algorithms)

```
db.plot(
    "no2_viz", scheme="quantiles", k=7, legend=True
);
```

Luild/jupyter\_execute/content/pages/03-Geovisualisation\_44\_0.png

For a safe choice, make sure to visit <u>ColorBrewer</u>

#### Challenge

Create an equal interval map with five bins for no2\_viz

#### Manual approach

This is valid for any algorithm and provides much more flexibility at the cost of effort.

```
classi = mc.Quantiles(db["no2_viz"], k=7)
db.assign(
        classes=classi.yb
).plot("classes");
```

Louild/jupyter\_execute/content/pages/03-Geovisualisation\_46\_0.png

#### Value by alpha mapping

See  $\underline{here}$  for more examples of VBA mapping.

```
db['area_inv'] = 1 / db.to_crs(epsg=5726).area
# Set up figure and axis
f, ax = plt.subplots(1, figsize=(12, 9))
# VBA choropleth
vba_choropleth(
   'no2_viz',
                    # Column for color
   'area_inv',
                   # Column for transparency (alpha)
   db,
                    # Geo-table
   },
   alpha_mapclassify={ # Options for alpha classification
       'classifier': 'quantiles', 'k':5
   legend=True,
                     # Add legend
   ax=ax
                     # Axis
)
# Add boundary lines
db.plot(color='none', linewidth=0.05, ax=ax);
```

\_build/jupyter\_execute/co

build/jupyter\_execute/content/pages/03-Geovisualisation\_50\_0.png

#### Legendgrams

Legendgrams are a way to more closely connect the statistical characteristics of your data to the map display.

#### A Warning

Legendgrams are experimental at the moment so the code is a bit more involved and less stable. Use at your own risk!

Unfold the cell for an example.

```
f, ax = plt.subplots(figsize=(9, 9))
classi = mc.Quantiles(db["no2_viz"], k=7)
db.assign(
   classes=classi.yb
).plot("classes", ax=ax)
legendgram(
                         # Figure object
    f,
   ax,
                         # Axis object of the map
                    # Values for the histogram
# Bin boundaries
    db["no2_viz"],
   classi.bins,
    pal=palmpl.Viridis_7,# color palette (as palettable object)
    legend_size=(.5,.2), # legend size in fractions of the axis
   loc = 'lower right', # matplotlib-style legend locations
)
ax.set_axis_off();
```

Louild/jupyter\_execute/content/pages/03-Geovisualisation\_52\_0.png

#### 1 Challenge

Give Task I in this block of the GDS course a go.

#### Choropleths on surfaces

Data

If you want to read more about the data sources behind this dataset, head to the Datasets section

Local files Online read

Assuming you have the file locally on the path .../data/:

```
grid = xarray.open_rasterio(
    "../data/cambodia_s5_no2.tif"
).sel(band=1)
```

· (Implicit) continuous equal interval

```
grid.where(
    grid != grid.rio.nodata
).plot(cmap="viridis");
```

build/jupyter\_execute/content/pages/03-Geovisualisation\_58\_0.png

```
grid.where(
    grid != grid.rio.nodata
).plot(cmap="viridis", robust=True);
```

Louild/jupyter\_execute/content/pages/03-Geovisualisation\_59\_0.png

· Discrete equal interval

```
grid.where(
    grid != grid.rio.nodata
).plot(cmap="viridis", levels=7)
```

<matplotlib.collections.QuadMesh at 0x7fdd6012bcd0>

Louild/jupyter\_execute/content/pages/03-Geovisualisation\_61\_1.png

Combining with mapclassify

```
grid_nona = grid.where(
    grid != grid.rio.nodata
)
classi = mc.Quantiles(
    grid_nona.to_series().dropna(), k=7
)
grid_nona.plot(
    cmap="viridis", levels=classi.bins
)
plt.title(classi.name);
```

Louild/jupyter\_execute/content/pages/03-Geovisualisation\_63\_0.png

```
grid_nona = grid.where(
    grid != grid.rio.nodata
)
classi = mc.FisherJenksSampled(
    grid_nona.to_series().dropna().values, k=7
)
grid_nona.plot(
    cmap="viridis", levels=classi.bins
)
plt.title(classi.name);
```

Louild/jupyter\_execute/content/pages/03-Geovisualisation\_64\_0.png

```
grid_nona = grid.where(
    grid != grid.rio.nodata
)
classi = mc.StdMean(
    grid_nona.to_series().dropna().values
)
grid_nona.plot(
    cmap="coolwarm", levels=classi.bins
)
plt.title(classi.name);
```

\_build/jupyter\_execute/content/pages/03-Geovisualisation\_65\_0.png

```
grid_nona = grid.where(
    grid != grid.rio.nodata
)
classi = mc.BoxPlot(
    grid_nona.to_series().dropna().values
)
grid_nona.plot(
    cmap="coolwarm", levels=classi.bins
)
plt.title(classi.name);
```

Louild/jupyter\_execute/content/pages/03-Geovisualisation\_66\_0.png

#### Challenge

Read the satellite image for Madrid used in the <u>previous section</u> and create three choropleths, one for each band, using the colormaps Reds, Greens, Blues.

Play with different classification algorithms.

- Do the results change notably?
- If so, why do you think that is?

## 🐾 Next steps

If you are interested in statistical maps based on classification, here are two recommendations to check out next:

- On the technical side, the <u>documentation for mapclassify</u> (including its <u>tutorials</u>) provides more detail and illustrates more classification algorithms than those reviewed in this block
- On a more conceptual note, Cynthia Brewer's "Designing better maps" [Bre15] is an excellent blueprint for good map making.

# Spatial Feature Engineering (I)

### Map Matching

### 📖 Ahead of time...

Feature Engineering is a common term in machine learning that refers to the processes and transformations involved in turning data from the state in which the modeller access them into what is then fed to a model. This can take several forms, from standardisation of the input data, to the derivation of numeric scores that better describe aspects (*features*) of the data we are using.

Spatial Feature Engineering refers to operations we can use to derive "views" or summaries of our data that we can use in models, using space as the key medium to create them.

There is only one reading to complete for this block, <u>Chapter 12</u> of the GDS Book [<u>RABWng</u>]. The first block of Spatial Feature Engineering in this course loosely follows the first part of the chapter (<u>Map Matching</u>), so focus on this first sections for the block.

### Hands-on coding

```
import pandas
import geopandas
import xarray, rioxarray
import contextily
import numpy as np
import matplotlib.pyplot as plt
```

Data

If you want to read more about the data sources behind this dataset, head to the Datasets section

Local files Online read

Assuming you have the file locally on the path .../data/:

```
regions = geopandas.read_file("../data/cambodia_regional.gpkg")
cities = geopandas.read_file("../data/cambodian_cities.geojson")
pollution = rioxarray.open_rasterio(
    "../data/cambodia_s5_no2.tif"
).sel(band=1)
friction = rioxarray.open_rasterio(
    "../data/cambodia_2020_motorized_friction_surface.tif"
).sel(band=1)
```

Check both geo-tables and the surface are in the same CRS:

```
(
    regions.crs.to_epsg() ==
    cities.crs.to_epsg() ==
    pollution.rio.crs.to_epsg()
)
True
```

#### Polygons to points

In which region is a city?

sj = geopandas.sjoin(cities, regions)
<pre># City name   Region name sj[["UC_NM_MN", "adm2_name"]]</pre>

	UC_NM_MN	adm2_name
0	Sampov Lun	Sampov Lun
1	Khum Pech Chenda	Phnum Proek
2	Poipet	Paoy Paet
3	Sisophon	Serei Saophoan
4	Battambang	Battambang
5	Siem Reap	Siem Reap
6	Sihanoukville	Preah Sihanouk
7	N/A	Trapeang Prasat
8	Kampong Chhnang	Kampong Chhnang
9	Phnom Penh	Tuol Kouk
10	Kampong Cham	Kampong Cham

#### Challenge

Using the Madrid AirBnb properties and <u>neighbourhoods</u> dataset, can you determine the neighbourhood group of the first ten properties?

#### Points to polygons

If we were after the number of cities per region, it is a similar approach, with a (groupby) twist at the end:

```
    Note
```

We set\_index to align both tables
 We assign to create a new column

If you want no missing values, you can fillna(0) since you know missing data are zeros

```
regions.set_index(
    "adm2_name"
).assign(
    city_count=sj.groupby("adm2_name").size()
).info()
```

```
<class 'geopandas.geodataframe.GeoDataFrame'>
Index: 198 entries, Mongkol Borei to Administrative unit not available
Data columns (total 6 columns):
# Column
           Non-Null Count Dtype
- - -
    ----
               -----
0 adm2_altnm 122 non-null object
1 motor mean 198 non-null float64
2 walk_mean 198 non-null float64
3 no2_mean 198 non-null float64
4
    geometry
               198 non-null
                             geometry
5 city_count 11 non-null
                             float64
dtypes: float64(4), geometry(1), object(1)
memory usage: 18.9+ KB
```

#### Challenge

Using the Madrid AirBnb properties, can you compute how many properties each neighbourhood group has?

#### Surface to points

Consider attaching to each city in cities the pollution level, as expressed in pollution.

The code for generating this figure is a bit more advanced as it fiddles with text, but if you want to explore it you can toggle it on

```
f, ax = plt.subplots(1, figsize=(9, 9))
pollution.where(
    pollution>0
).plot(
    ax=ax, add_colorbar=False
)
for i, row in cities.iterrows():
    plt.text(
        row.geometry.x,
        row.geometry.y,
        row["UC_NM_MN"],
        fontdict={"color": "white"},
    )
cities.plot(ax=ax, color="r");
```

Luild/jupyter\_execute/content/pages/04-Spatial\_feature\_eng\_i\_21\_0.png

```
from rasterstats import point_query
city_pollution = point_query(
    cities,
    pollution.values,
    affine=pollution.rio.transform(),
    nodata=pollution.rio.nodata
)
city_pollution
```

```
[3.9397064813333136e-05,
3.4949825609644426e-05,
3.825255125820345e-05,
4.103826573585785e-05,
3.067677208474005e-05,
5.108273256655399e-05,
2.2592785882580366e-05,
4.050414400882722e-05,
2.4383652926989897e-05,
0.0001285838935209779,
3.258245740282522e-05]
```

And we can map these on the city locations:

```
ax = cities.assign(
    pollution=city_pollution
).plot(
    "pollution",
    cmap="YlOrRd",
    legend=True
)
contextily.add_basemap(
    ax=ax, crs=cities.crs,
);
```

Louild/jupyter\_execute/content/pages/04-Spatial\_feature\_eng\_i\_24\_0.png

#### Challenge

Can you calculate the pollution level at the centroid of each Cambodian region in the <u>regional aggregates</u> dataset? how does it compare to their average value?

#### Surface to polygons

Instead of transferring to points, we want to aggregate all the information in a surface that falls within a polygon.

For this case, we will use the motorised friction surface. The question we are asking thus is: *what is the average degree of friction of each region?* Or, in other words: *what regions are harder to get through with motorised transport?* 

```
f, ax = plt.subplots(1, figsize=(9, 9))
friction.plot.imshow(
    add_colorbar=False, ax=ax
)
regions.plot(
    ax=ax, edgecolor="red", facecolor="none"
)
contextily.add_basemap(
    ax,
    crs=regions.crs,
    source=contextily.providers.CartoDB.DarkMatterOnlyLabels,
    zoom=7
)
```

\_build/jupyter\_execute/content/pages/04-Spatial\_feature\_eng\_i\_28\_0.png

The output is returned from zonal\_stats as a list of dicts. To make it more manageable, we convert it into a pandas.DataFrame.

```
from rasterstats import zonal_stats
regional_friction = pandas.DataFrame(
    zonal_stats(
        regions,
        friction.values,
        affine=friction.rio.transform(),
        nodata=friction.rio.nodata
    ),
    index=regions.index
)
regional_friction.head()
```

	min	max	mean	count
0	0.001200	0.037000	0.006494	979
1	0.001200	0.060000	0.007094	1317
2	0.001200	0.024112	0.006878	324
3	0.001333	0.060000	0.009543	758
4	0.001200	0.060132	0.008619	55

This can then also be mapped onto the polygon geography:

```
f, ax = plt.subplots(1, figsize=(9, 9))
regions.to_crs(
    epsg=3857
).join(
    regional_friction
).plot(
    "mean", scheme="quantiles", ax=ax
)
contextily.add_basemap(
    ax,
    source=contextily.providers.CartoDB.VoyagerOnlyLabels,
    zoom=7
)
```

\_build/jupyter\_execute/content/pages/04-Spatial\_feature\_eng\_i\_32\_0.png

#### Challenge

Replicate the analysis above to obtain the average friction for each region using the walking surface (cambodia\_2020\_walking\_friction\_surface.tif).

#### Surface to surface

If we want to align the pollution surface with that of friction, we need to resample them to make them "fit on the same frame".

pollution.shape

(138, 152)

friction.shape	
(574, 636)	

This involves either moving one surface to the frame of the other one, or both into an entirely new one. For the sake of the illustration, we will do the latter and select a frame that is 300 by 400 pixels. Note this involves stretching (upsampling) pollution, while compressing (downsampling) friction.

# Define dimensions dimX, dimY = 300, 400 minx, miny, maxx, maxy = pollution.rio.bounds() # Create XY indices ys = np.linspace(miny, maxy, dimY) xs = np.linspace(minx, maxx, dimX) # Set up placeholder array canvas = xarray.DataArray( np.zeros((dimY, dimX)), coords=[ys, xs], dims=["y", "x"] ).rio.write\_crs(4326) # Add CRS

cvs\_pollution = pollution.rio.reproject\_match(canvas)
cvs\_friction = friction.rio.reproject\_match(canvas)

cvs\_pollution.shape

(400, 300)

cvs\_pollution.shape == cvs\_friction.shape

True

#### Challenge

Trasfer the pollution surface to the frame of friction, and viceversa.

#### Attention

The following methods involve modelling and are thus more sophisticated. Take these as a conceptual introduction with an empirical illustration, but keep in mind there are extense literatures on each of them and these cover some of the simplest cases.

#### Points to points

See <u>this section</u> of Chapter 12 of the GDS Book [<u>RABWng</u>] for more details on the technique

For this exampe, we will assume that, instead of a surface with pollution values, we only have available a sample of points and we would like to obtain estimates for other locations.

For that we will first generate 100 random points within the extent of pollution which we will take as the location of our measurement stations:

1 Note

The code in this cell contains bits that are a bit more advanced, do not despair if not everything makes sense!

```
np.random.seed(123456)
bb = pollution.rio.bounds()
station_xs = np.random.uniform(bb[0], bb[2], 100)
station_ys = np.random.uniform(bb[1], bb[3], 100)
stations = geopandas.GeoSeries(
    geopandas.points_from_xy(station_xs, station_ys),
    crs="EPSG:4326"
)
```

Our station values come from the pollution surface, but we assume we do not have access to the latter, and we would like to obtain estimates for the location of the cities:

```
f, ax = plt.subplots(1, figsize=(6, 6))
pollution.where(
    pollution>0
).plot(
    add_colorbar=False, cmap="Blues", ax=ax
)
stations.plot(ax=ax, color="red", label="Stations")
cities.plot(ax=ax, color="lime", label="Cities")
ax.set_title("Pollution sampling")
plt.legend();
```

Louild/jupyter\_execute/content/pages/04-Spatial\_feature\_eng\_i\_50\_0.png

We will need the location and the pollution measurements for every station as separate arrays. Before we do that, since we will be calculating distances, we convert our coordinates to <u>a system</u> expressed in metres.

```
stations_mt = stations.to_crs(epsg=5726)
station_xys = np.array(
    [stations_mt.geometry.x, stations_mt.geometry.y]
).T
```

We also need to extract the pollution measurements for each station location:

```
station_measurements = np.array(
    point_query(
        stations,
        pollution.values,
        affine=pollution.rio.transform(),
        nodata=pollution.rio.nodata
    )
)
```

And finally, we will also need the locations of each city expressed in the same coordinate system:

```
cities_mt = cities.to_crs(epsg=5726)
city_xys = np.array(
    [cities_mt.geometry.x, cities_mt.geometry.y]
).T
```

For this illustration, we will use a \(k\)-nearest neighbors regression that estimates the value for each target point (cities in our case) as the average weighted by distance of its \(k\) nearest neigbors. In this illustration we will use \(k=10\).

Note how sklearn relies only on array data structures, hence why we first had to express all the required information in that format

```
from sklearn.neighbors import KNeighborsRegressor
model = KNeighborsRegressor(
    n_neighbors=10, weights="distance"
).fit(station_xys, station_measurements)
```

Once we have trained the model, we can use it to obtain predictions for each city location:

predictions = model.predict(city\_xys)

These can be compared with the originally observed values:

p2p\_comparison

	Observed	Predicted
UC_NM_MN		
Sampov Lun	0.000039	0.000027
Khum Pech Chenda	0.000035	0.000025
Poipet	0.000038	0.000030
Sisophon	0.000041	0.000030
Battambang	0.000031	0.000027
Siem Reap	0.000051	0.000027
Sihanoukville	0.000023	0.000019
N/A	0.000041	0.000028
Kampong Chhnang	0.000024	0.000032
Phnom Penh	0.000129	0.000042
Kampong Cham	0.000033	0.000033

f, ax = plt.subplots(1
p2p\_comparison["0bserv
p2p\_comparison["Predic
ax.set\_axis\_off()
plt.legend(frameon=Fal

\_build/jupyter\_execute/co

#### Challenge

Replicate the analysis above with \(k=15\) and \(k=5\). Do results change? Why do you think that is?

Imagine we do not have a surface like **pollution** but we need it. In this context, if you have measurements from some locations, such as in **stations**, we can use the approach reviewed above to generate a surface. The trick to do this is to realise that we can generate a *uniform* grid of target locations that we can then express as a surface.

We will set as our target locations those of the pixels in the target surface we have seen above:

```
canvas_mt = canvas.rio.reproject(5726)

xy_pairs = canvas_mt.to_series().index
xys = np.array(
        [
            xy_pairs.get_level_values("x"),
            xy_pairs.get_level_values("y")
        ]
).T
```

To obtain pollution estimates at each location, we can predict with model:

```
predictions_grid = model.predict(xys)
```

And with these at hand, we can convert them into a surface:

```
predictions_series = pandas.DataFrame(
    {"predictions_grid": predictions_grid}
).join(
    pandas.DataFrame(xys, columns=["x", "y"])
).set_index(["y", "x"])
predictions_surface = xarray.DataArray().from_series(
    predictions_series["predictions_grid"]
).rio.write_crs(canvas_mt.rio.crs)
```

```
f, axs = plt.subplots(1, 2, figsize=(16, 6))
cvs_pollution.where(
    cvs_pollution>0
).plot(ax=axs[0])
axs[0].set_title("Observed")
predictions_surface.where(
    predictions_surface>0
).rio.reproject_match(
    cvs_pollution
).plot(ax=axs[1])
axs[1].set_title("Predicted")
plt.show()
```

build/jupyter\_execute/content/pages/04-Spatial\_feature\_eng\_i\_74\_0.png

```
f, ax = plt.subplots(1, figsize=(9, 4))
cvs_pollution.where(
    cvs_pollution>0
).plot.hist(
    bins=100, alpha=0.5, ax=ax, label="Observed"
)
predictions_surface.rio.reproject_match(
    cvs_pollution
).plot.hist(
    bins=100, alpha=0.5, ax=ax, color="g", label="predicted"
)
plt.legend()
plt.show()
```

Louild/jupyter\_execute/content/pages/04-Spatial\_feature\_eng\_i\_75\_0.png

Room for improvement but, remember this was a rough first pass!

#### Challenge

Train a model with pollution measurements from each city location and generate a surface from it. *How does the output compare to the one above? Why do you think that is?* 

#### Polygons to polygons

In this final example, we transfer data from a polygon geography to *another* polygon geography. Effectively, we re-apportion values from one set of areas to another based on the extent of shared area.

Our illustration will cover how to move pollution estimates from regions into a uniform hexagonal grid we will first create.



Not that pollution is expressed as an *intesive* (rate) variable. We need to recognise this when specifying the interpolation model:



<pre>%%time pollution_hex = tobler.area_weighted.area_interpolate(     regions.assign(geometry=regions.buffer(0)).to_crs(epsg=5726),     hex_grid.to_crs(epsg=5726),     intensive_variables=["no2_mean"] )</pre>
CPU times: user 440 ms, sys: 4.92 ms, total: 445 ms Wall time: 447 ms

And the results look like:

```
f, axs = plt.subplots(1, 3, figsize=(12, 4))
regions.plot(
    "no2_mean", scheme="quantiles", k=12, ax=axs[0]
)
axs[0].set_axis_off()
hex_grid.plot(
    facecolor="none", edgecolor="red", ax=axs[1]
)
axs[1].set_axis_off()
pollution_hex.to_crs(epsg=4326).plot(
    "no2_mean", scheme="quantiles", k=12, ax=axs[2]
)
axs[2].set_axis_off()
plt.show()
```

\_build/jupyter\_execute/content/pages/04-Spatial\_feature\_eng\_i\_85\_0.png

#### Challenge

Replicate the analytis using resolution = 4. How is the result different? Why?

## 🐾 Next steps

If you are interested in learning more about spatial feature engineering through map matching, the following pointers might be useful to delve deeper into specific types of "data transfer":

- The <u>datashader</u> library is a great option to transfer geo-tables into surfaces, providing tooling to perform these operations in a highly efficient and performant way.
- When aggregating surfaces into geo-tables, the library <u>rasterstats</u> contains most if not all of the machinery you will need.
- For transfers from polygon to polygon geographies, <u>tobler</u> is your friend. Its official documentation contains examples for different use cases.

# Spatial Feature Engineering (II)

### Map Synthesis

### 📖 Ahead of time...

In this second part of Spatial Feature Engineering, we turn to Map Synthesis. There is only one reading to complete for this block, <u>Chapter 12</u> of the GDS Book [<u>RABWng</u>]. This block of Spatial Feature Engineering in this course loosely follows the second part of the chapter (<u>Map Synthesis</u>).

### 💻 Hands-on coding

```
import pandas, geopandas
import numpy as np
import contextily
import tobler
```

#### Data If you want to read more about the data sources behind this dataset, head to the Datasets section

Assuming you have the file locally on the path .../data/:

```
pts = geopandas.read_file("../data/madrid_abb.gpkg")
```

We will be working with a modified version of pts:

- · Since we will require distance calculations, we will switch to the Spanish official projection
- To make calculations in the illustration near-instantaneous, we will work with a smaller (random) sample of Airbnb properties (10% of the total)

```
db = pts.sample(
frac=0.1, random_state=123
).to_crs(epsg=25830)
```

As you can see in the description, the new CRS is expressed in metres:

```
db.crs
<Projected CRS: EPSG:25830>
Name: ETRS89 / UTM zone 30N
Axis Info [cartesian]:
- E[east]: Easting (metre)
- N[north]: Northing (metre)
Area of Use:
- name: Europe between 6°W and 0°W: Faroe Islands offshore; Ireland -
offshore; Jan Mayen - offshore; Norway including Svalbard - offshore;
Spain - onshore and offshore.
- bounds: (-6.0, 35.26, 0.01, 80.49)
Coordinate Operation:
- name: UTM zone 30N
- method: Transverse Mercator
Datum: European Terrestrial Reference System 1989 ensemble
- Ellipsoid: GRS 1980
- Prime Meridian: Greenwich
```

#### **Distance buffers**

How many Airbnb's are within 500m of each Airbnb?

from pysal.lib import weights

Using DistanceBand, we can build a spatial weights matrix that assigns 1 to each observation within 500m, and 0 otherwise.

```
%%time
w500m = weights.DistanceBand.from_dataframe(
    db, threshold=500, binary=True
)
```

/opt/conda/envs/gds/lib/python3.9/sitepackages/libpysal/weights/weights.py:224: UserWarning: The weights matrix is not fully connected: There are 86 disconnected components. There are 47 islands with ids: 6878, 16772, 15006, 1336, 3168, 15193, 1043, 5257, 4943, 12849, 10609, 11309, 10854, 10123, 3388, 9380, 10288, 13071, 3523, 15316, 3856, 205, 7720, 10454, 18307, 3611, 12405, 10716, 14813, 15467, 1878, 16597, 14329, 7933, 16215, 13525, 13722, 11932, 14456, 8848, 15197, 8277, 9922, 13072, 13852, 5922, 17151. warnings.warn(message)

The number of neighbors can be accessed through the cardinalities attribute:

Wall time: 303 ms

```
n_neis = pandas.Series(w500m.cardinalities)
n_neis.head()
```

CPU times: user 283 ms, sys: 16.8 ms, total: 300 ms

11297 213 2659 5 16242 21 15565 9 14707 159 dtype: int64

db.assign( n\_neis=n\_neis ).plot("n\_neis", markersize=0.1);

Luild/jupyter\_execute/content/pages/05-Spatial\_feature\_eng\_ii\_19\_0.png

#### Challenge

Calculate the number of AirBnb properties within 250m of each other property. What is the average?

#### Distance rings

How many Airbnb's are between 500m and 1km of each Airbnb?

%%time
w1km = weights.DistanceBand.from\_dataframe(
 db, threshold=1000, binary=True
)

```
CPU times: user 915 ms, sys: 67.5 ms, total: 982 ms
Wall time: 995 ms
```

```
/opt/conda/envs/gds/lib/python3.9/site-
packages/libpysal/weights/weights.py:224: UserWarning: The weights matrix
is not fully connected:
There are 20 disconnected components.
There are 5 islands with ids: 4943, 12849, 15467, 13525, 11932.
warnings.warn(message)
```

Now, we could do simply a subtraction:

n\_ring\_neis = pandas.Series(w1km.cardinalities) - n\_neis

Or, if we need to know which is which, we can use set operations on weights:

w\_ring = weights.w\_difference(w1km, w500m, constrained=False)

```
/opt/conda/envs/gds/lib/python3.9/site-
packages/libpysal/weights/weights.py:224: UserWarning: The weights matrix
is not fully connected:
There are 34 disconnected components.
There are 23 islands with ids: 3744, 4143, 4857, 4943, 6986, 8345, 8399,
9062, 10592, 10865, 11574, 11613, 11785, 11840, 11932, 12015, 12635,
12714, 12849, 13091, 13317, 13525, 15467.
warnings.warn(message)
```

And we can confirm they're both the same:

(pandas.Series(w\_ring.cardinalities) - n\_ring\_neis).sum()

0

#### Challenge

Can you create a plot with the following two lines?

- One depicting the average number of properties within a range of 50m, 100m, 250m, 500m, 750m
- · Another one with the increase of average neighbors for the same distances above

#### Cluster membership (points)

We can use the spatial configuration of observations to classify them as part of clusters or not, which can then be encoded, for example, as dummy variables in a model.

These *magic* numbers need to be pre-set and you can play with both min\_pct (or min\_pts directly) and eps to see how they affect the results (spoiler: a lot!)

```
from sklearn.cluster import DBSCAN
min_pct = 2
min_pts = len(db) * min_pct // 100
eps = 500
```

We will illustrate it with a minimum number of points of min\_pct % of the sample and a maximum radious of eps metres.

```
model = DBSCAN(min_samples=min_pts, eps=eps)
model.fit(
    db.assign(
        x=db.geometry.x
    ).assign(
        y=db.geometry.y
    )[['x', 'y']]
);
```

We will attach the labels to db for easy access:

```
db["labels"] = model.labels_
```

We can define boundaries to turn point clusters into polygons if that fits our needs better:

Attention

The code in this cell is a bit more advanced than expected for this course, but is used here as an illustration.

```
from pysal.lib import cg
boundaries = []
cl_ids = [i for i in db["labels"].unique() if i!=-1]
for cl_id in cl_ids:
    sub = db.query(f"labels == {cl_id}")
    cluster_boundaries = cg.alpha_shape_auto(
        np.array(
            [sub.geometry.x, sub.geometry.y]
        ).T,
    )
    boundaries.append(cluster_boundaries)
boundaries = geopandas.GeoSeries(
    boundaries, index=cl_ids, crs=db.crs
)
```

And we can see what the clusters look like:

```
ax = db.to_crs(
    epsg=3857
).plot(
    markersize=0.1, color="lime"
)
boundaries.to_crs(
    epsg=3857
).plot(
    ax=ax, edgecolor="red", facecolor="none"
)
contextily.add_basemap(
    ax,
    source=contextily.providers.CartoDB.DarkMatterNoLabels
)
```

build/jupyter\_execute/content/pages/05-Spatial\_feature\_eng\_ii\_41\_0.png

#### Challenge

How does the map above change if you require 5% of points instead of 2% for a candidate cluster to be considered so?

#### Cluster membership (polygons)

We can take a similar approach as above if we have polygon geographies instead of points. Rather than using DBSCAN, here we can rely on local indicators of spatial association (LISAs) to pick up spatial concentrations of high or low values.

For the illustration, we will aggregate the location of Airbnb properties to a regular hexagonal grid, similar to how we generated it when <u>transfering from polygons to polygons</u>. First we create a polygon covering the extent of points:

```
one = geopandas.GeoSeries(
    [cg.alpha_shape_auto(
        np.array(
            [db.geometry.x, db.geometry.y]
        ).T,
    )],
    crs=db.crs
)
```

```
/opt/conda/envs/gds/lib/python3.9/site-packages/pyproj/crs/crs.py:1293:
UserWarning: You will likely lose important projection information when
converting to a PROJ string from another format. See:
https://proj.org/faq.html#what-is-the-best-format-for-describing-
coordinate-reference-systems
    proj = self._crs.to_proj4(version=version)
```

And obtain a count of points in each polygon:

```
counts = geopandas.sjoin(
    db, abb_hex
).groupby(
    "index_right"
).size()
abb_hex["count"] = counts
    abb_hex["count"] = abb_hex["count"].fillna(0)
abb_hex.plot("count", scheme="fisherjenks");
```

build/jupyter\_execute/content/pages/05-Spatial\_feature\_eng\_ii\_49\_0.png

To identify spatial clusters, we rely on esda:

```
from pysal.explore import esda
/opt/conda/envs/gds/lib/python3.9/site-
packages/numba/core/decorators.py:262: NumbaDeprecationWarning:
numba.generated_jit is deprecated. Please see the documentation at:
https://numba.readthedocs.io/en/stable/reference/deprecation.html#depreca
tion-of-generated-jit for more information and advice on a suitable
replacement.
  warnings.warn(msg, NumbaDeprecationWarning)
/opt/conda/envs/gds/lib/python3.9/site-
packages/numba/core/decorators.py:262: NumbaDeprecationWarning:
numba.generated_jit is deprecated. Please see the documentation at:
https://numba.readthedocs.io/en/stable/reference/deprecation.html#depreca
tion-of-generated-jit for more information and advice on a suitable
replacement.
  warnings.warn(msg, NumbaDeprecationWarning)
/opt/conda/envs/gds/lib/python3.9/site-packages/quantecon/lss.py:20:
NumbaDeprecationWarning: The 'nopython' keyword argument was not supplied
to the 'numba.jit' decorator. The implicit default value for this
argument is currently False, but it will be changed to True in Numba
0.59.0. See
https://numba.readthedocs.io/en/stable/reference/deprecation.html#depreca
tion-of-object-mode-fall-back-behaviour-when-using-jit for details.
  def simulate_linear_model(A, x0, v, ts_length):
/opt/conda/envs/gds/lib/python3.9/site-packages/spaghetti/network.py:40:
FutureWarning: The next major release of pysal/spaghetti (2.0.0) will
drop support for all ``libpysal.cg`` geometries. This change is a first
step in refactoring ``spaghetti`` that is expected to result in
dramatically reduced runtimes for network instantiation and operations.
Users currently requiring network and point pattern input as
``libpysal.cg`` geometries should prepare for this simply by converting to ``shapely`` geometries.
  warnings.warn(dep_msg, FutureWarning, stacklevel=1)
```

And compute the LISA statistics:

w = weights.Queen.from\_dataframe(abb\_hex)
lisa = esda.Moran\_Local(abb\_hex["count"], w)

/tmp/ipykernel\_2683/2473509840.py:1: FutureWarning: `use\_index` defaults to False but will default to True in future. Set True/False directly to control this behavior and silence this warning w = weights.Queen.from\_dataframe(abb\_hex)

For a visual inspection of the clusters, splot:

from pysal.viz import splot
from splot.esda import lisa\_cluster
lisa\_cluster(lisa, abb\_hex, p=0.01);

build/jupyter\_execute/content/pages/05-Spatial\_feature\_eng\_ii\_56\_0.png

And, if we want to extract the labels for each polygon, we can do so from the lisa object:

lisa.q *	(li	sa.	p_s	im	< 0	.01	)														
array([0,	0,	0,	0,	0,	0,	0,	0,	0,	0,	0,	1,	0,	1,	0,	0,	0,	0,	0,	0,	0,	0,
0,	0,	Θ,	0,	0,	0,	Θ,	0,	Θ,	0,	з,	0,	Θ,	з,	0,	0,	Θ,	Θ,	0,	0,	0,	0,
Θ,	0,	з,	Θ,	0,	0,	0,	Θ,	Θ,	0,	0,	Θ,	Θ,	0,	Θ,	Θ,	Θ,	0,	Θ,	0,	0,	Θ,
Θ,	0,	Θ,	Θ,	0,	0,	0,	Θ,	Θ,	0,	Θ,	Θ,	Θ,	0,	Θ,	Θ,	Θ,	З,	Θ,	0,	з,	0,
Θ,	0,	Θ,	Θ,	0,	0,	1,	Θ,	Θ,	0,	0,	з,	Θ,	0,	Θ,	Θ,	Θ,	0,	Θ,	0,	0,	з,
Θ,	з,	Θ,	Θ,	0,	Θ,	Θ,	з,	з,	0,	Θ,	з,	Θ,	0,	з,	Θ,						
Θ,	Θ,	Θ,	Θ,	0,	Θ,	0,	Θ,	Θ,	2,	з,	Θ,	Θ,	0,	Θ,	Θ,	Θ,	0,	Θ,	0,	Θ,	З,
Θ,	Θ,	Θ,	Θ,	0,	Θ,	Θ,	Θ,	Θ,	0,	Θ,	З,	з,	0,	Θ,	Θ,						
1,	Θ,	Θ,	з,	0,	Θ,	0,	з,	Θ,	0,	Θ,	Θ,	Θ,	З,	Θ,	Θ,	Θ,	З,	Θ,	0,	Θ,	Θ,
Θ,	0,	Θ,	Θ,	0,	0,	Θ,	Θ,	Θ,	З,	0,	Θ,	З,	0,	0,	Θ,						
Θ,	Θ,	Θ,	з,	З,	Θ,	0,	Θ,	з,	0,	Θ,	Θ,	Θ,	0,	Θ,	Θ,	Θ,	З,	Θ,	0,	Θ,	Θ,
3,	1,	Θ,	1,	0,	0,	Θ,	0,	0,	0,	0,	0,	0,	Θ,	0,	0,	1,	Θ,	0,	З,	0,	З,
Θ,	0,	Θ,	0,	0,	0,	З,	З,	0,	0,	0,	0,	0,	Θ,	0,	0,	З,	Θ,	0,	Θ,	0,	0,
Θ,	0,	Θ,	Θ,	З,	0,	Θ,	Θ,	Θ,	0,	0,	З,	Θ,	Θ,	З,	Θ,	Θ,	З,	З,	0,	0,	Θ,
Θ,	1,	Θ,	Θ,	Θ,	Θ,	1,	Θ,	Θ,	з,	Θ,	1,	Θ,	Θ,	1,	Θ,	0]	)				

### 🐾 Next steps

If you want a bit more background into some of the techniques reviewed in this block, the following might be of interest:

- <u>Block E</u> of the GDS Course [<u>AB19</u>] will introduce you to more techniques like the LISAs seen above to explore the spatial dimension of the statistical properties of your data. If you want a more detailed read, <u>Chapter 4</u> of the GDS Book [<u>RABWng</u>] will do just that.
- <u>Block F</u> of the GDS Course [<u>AB19</u>] will introduce you to more techniques like the LISAs seen above to explore the spatial dimension of the statistical properties of your data. If you want a more detailed read, <u>Chapter 7</u> of the GDS Book [<u>RABWng</u>] will do just that.
- <u>Block H</u> of the GDS Course [<u>AB19</u>] will introduce you to more techniques for exploring point patterns. If you want a more comprehensive read, <u>Chapter 8</u> of the GDS Book [<u>RABWng</u>] will do just that.

## **OpenStreetMap**

### 📖 Ahead of time...

This session is all about OpenStreetMap. To provide an overview of what the project is, whether you have never heard of it or you are somewhat familiar, the followring will set your mind "on course":

• The following short clip provides a general overview of what OpenStreetMap is



- <u>This recent piece</u> contains several interesting points about how OpenStreetMap is currently being created and some of the implications this model may have.
- Anderson et al. (2019) [ASP19] provides some of the academic underpinnings to the views expressed in Morrison's piece

### 💻 Hands-on coding

```
import geopandas
import contextily
from IPython.display import GeoJSON
```

Since some of the query options we will discuss involve pre-defined extents, we will read the Madrid neighbourhoods dataset first:

```
Local files Online read
```

Assuming you have the file locally on the path .../data/:

neis = geopandas.read\_file("../data/neighbourhoods.geojson")

To make some of the examples below easy on OpenStreetMap servers, we will single out the smallest neighborhood:

```
areas = neis.to_crs(
    epsg=32630
).area
smallest = neis[areas == areas.min()]
smallest
```



build/jupyter\_execute/content/pages/06-OpenStreetMap\_12\_0.png

```
import osmnx as ox
```

Here is a trick to pin all your queries to OpenStreetMap to a specific date, so results are always reproducible, even if the map changes in the meantime. Tip courtesy of <u>Martin Fleischmann</u>.

```
ox.settings.overpass_settings = (
    '[out:json][timeout:90][date:"2021-03-07T00:00:00Z"]'
)
```

#### 🥊 Tip

Much of the methods covered here rely on the osmnx.features module. Check out its reference here

There are two broad areas to keep in mind when querying data on OpenStreetMap through osmnx:

- The interface to specify the extent of the search
- The *nature* of the entities being queried. Here, the interface relies entirely on OpenStreetMap's tagging system. Given the distributed nature of the project, this is variable, but a good place to start is:

https://wiki.openstreetmap.org/wiki/Tags

Generally, the interface we will follow involves the following:

The <extent> can take several forms:

```
[i for i in dir(ox) if "features_from_" in i]
['features_from_address',
 'features_from_bbox',
 'features_from_place',
 'features_from_point',
 'features_from_polygon',
 'features_from_xml']
```

The tags follow the official feature spec.

#### Buildings

```
blgs = ox.features_from_polygon(
    smallest.squeeze().geometry, tags={"building": True}
)
```

blgs.plot();

Louild/jupyter\_execute/content/pages/06-OpenStreetMap\_25\_0.png

blgs.info()

<pre><class 'geopandas.geodataframe.geodataframe'=""> MultiIndex: 115 entries, ('way', 442595762) to ('way', 577690922) Data columns (total 27 columns);</class></pre>							
#	Column	Non-Null Count	Dtype				
Θ	name	2 non-null	object				
1	amenity	2 non-null	object				
2	geometry	115 non-null	geometry				
3	nodes	115 non-null	object				
4	building	115 non-null	object				
5	addr:housenumber	21 non-null	object				
6	addr:postcode	3 non-null	object				
7	addr:street	9 non-null	object				
8	denomination	1 non-null	object				
9	phone	2 non-null	object				
10	religion	1 non-null	object				
11	source	1 non-null	object				
12	source:date	1 non-null	object				
13	url	1 non-null	object				
14	wheelchair	1 non-null	object				
15	building:levels	11 non-null	object				
16	addr:city	8 non-null	object				
17	addr:country	6 non-null	object				
18	wikidata	1 non-null	object				
19	website	1 non-null	object				
20	country	1 non-null	object				
21	diplomatic	1 non-null	object				
22	name:en	1 non-null	object				
23	name:fr	1 non-null	object				
24	name:ko	1 non-null	object				
25	office	1 non-null	object				
26	target	1 non-null	object				
dtyp	es: geometry(1), o	bject(26)					
memory usage: 29.7+ KB							

blgs.head()

		name	amenity	geometry	nodes	building
element_type	osmid					
way	442595762	NaN	NaN	POLYGON ((-3.66377 40.46317, -3.66363 40.46322	[4402722774, 4402722775, 4402722776, 440272277	yes
	442595763	NaN	NaN	POLYGON ((-3.66394 40.46346, -3.66415 40.46339	[4402722778, 4402722779, 4402722780, 440272278	yes
	442595764	NaN	NaN	POLYGON ((-3.66379 40.46321, -3.66401 40.46314	[4402722782, 4402722783, 4402722784, 440272278	yes
	442595765	NaN	NaN	POLYGON ((-3.66351 40.46356, -3.66294 40.46371	[4402722786, 4402722787, 4402722788, 440272278	yes
	442596830	NaN	NaN	POLYGON ((-3.66293 40.46289, -3.66281 40.46294	[4402729658, 4402729659, 4402729660, 440272966	yes

https://www.openstreetmap.org/<unique\_id>

#### Challenge

Extract the building footprints for the Sol neighbourhood in neis

#### Other polygons

```
park = ox.features_from_place(
    "Parque El Retiro, Madrid", tags={"leisure": "park"}
)
ax = park.plot(
    facecolor="none", edgecolor="blue", linewidth=2
)
contextily.add_basemap(
    ax,
    crs=smallest.crs,
    source=contextily.providers.OpenStreetMap.Mapnik
);
```

Louild/jupyter\_execute/content/pages/06-OpenStreetMap\_32\_0.png

#### Points of interest

Bars around Atocha station:

```
bars = ox.features_from_address(
    "Puerta de Atocha, Madrid", tags={"amenity": "bar"}, dist=1500
)
```

We can quickly explore with GeoJSON:

#### Data

If you have an earlier version of geopandas than 0.10, you can obtain a similar map with:

GeoJSON(bars.\_\_geo\_interface\_\_)

bars.explore()



1 km 3000 ft Leaflet (https://leafletjs.com) | Data by © OpenStreetMap (http://openstreetmap.org), under ODbL (http://www.openstreetmap.org/copyright).

And stores within Malasaña:

```
shops = ox.features_from_address(
    "Malasaña, Madrid, Spain", # Boundary to search within
    tags={
         "shop": True,
         "landuse": ["retail", "commercial"],
"building": "retail"
    },
    dist=1000
)
```

We use features\_from\_place for delineated areas ("polygonal entities"):



Leaflet (https://leafletjs.com) | Data by © OpenStreetMap (http://openstreetmap.org), under ODbL (http://www.openstreetmap.org/copyright).

Similarly, we can work with location data. For example, searches around a given point:

<IPython.display.GeoJSON object>

#### Challenge

- · How many music shops does OSM record within 750 metres of Puerta de Alcalá?
- Are there more restaurants or clothing shops within the polygon that represents the Pacífico neighbourhood in neis table?

#### Streets

Street data can be obtained as another type of entity, as above; or as a graph object.

#### Geo-tables

```
centro = ox.features_from_polygon(
    neis.query("neighbourhood == 'Sol'").squeeze().geometry,
    tags={"highway": True}
)
```

We can get a quick peak into what is returned (grey), compared to the region we used for the query:

```
ax = neis.query(
    "neighbourhood == 'Sol'"
).plot(color="k")
centro.plot(
    ax=ax,
    color="0.5",
    linewidth=0.2,
    markersize=0.5
);
```

Louild/jupyter\_execute/content/pages/06-OpenStreetMap\_51\_0.png

This however will return all sorts of things:

centro.geometry

element_type node 40.41662)	osmid 21734214	POINT (-3.70427				
40.41612)	21734250	POINT (-3.70802				
40 41677)	21734252	POINT (-3.70847				
40.41700)	21968134	POINT (-3.69945				
40.41786)	21968197	POINT (-3.70054				
40.41645)						
way 40.41369)	907553665	LINESTRING (-3.70686 40.41380, -3.70719				
40, 42020)	909056211	LINESTRING (-3.70705 40.42021, -3.70680				
relation	5662178	POLYGON ((-3.70948 40.41551, -3.70952				
40.41303	7424032	POLYGON ((-3.70263 40.41712, -3.70253				
40.41/14	8765884	POLYGON ((-3.70636 40.41475, -3.70635				
40.41481 Name: geometry, Length: 609, dtype: geometry						

#### Spatial graphs

This returns clean, processed graph objects for the street network:



\_build/jupyter\_execute/content/pages/06-OpenStreetMap\_61\_0.png

(
 ox.graph\_to\_gdfs(centro\_gr, nodes=False)
 .explore()
)

['plot\_graph', 'plot\_g 'plot\_graph\_routes']



 300 m

 1000 ft

 Leaflet (https://leafletjs.com) | Data by © OpenStreetMap (http://openstreetmap.org), under ODbL (http://www.openstreetmap.org/copyright).

#### Challenge

How many bookshops are within a 50m radious of the Paseo de la Castellana?

Bonus tip: this one involves the following steps:

- · Extracting the street segment for Paseo de la Castellana
- Drawing a 50m buffer around it
- Querying OSM for bookshops

### 🐾 Next steps

If you found the content in this block useful, the following resources represent some suggestions on where to go next:

- Parts of the block are inspired and informed by Geoff Boeing's excellent course on Urban Data Science
- More in depth content about osmnx is available in the official examples collection
- Boeing (2020) [Boe20] illustrates how OpenStreetMap can be used to analyse urban form (Open Access)

## Transport costs

Ahead of time...

### Hands-on coding

```
import momepy
import geopandas
import contextily
import xarray, rioxarray
import osmnx as ox
import numpy as np
import matplotlib.pyplot as plt
ox.settings.overpass_settings = (
    '[out:json][timeout:90][date:"2021-03-07T00:00:00Z"]'
```

)

```
streets = geopandas.read_file("../data/arturo_streets.gpkg")
abbs = geopandas.read_file("../data/madrid_abb.gpkg")
neis = geopandas.read_file("../data/neighbourhoods.geojson")
```

#### pandana graphs

import pandana

Before building the routing network, we convert to graph and back in momepy to "clean" the network and ensure it complies with requirements for routing.

Once we have nodes and edges "clean" from the graph representation, we can build a pandana.Network object we will use for routing:

```
streets_pdn = pandana.Network(
    nodes.geometry.x,
    nodes.geometry.y,
    edges["node_start"],
    edges["node_end"],
    edges[["mm_len"]]
)
streets_pdn
```

Generating contraction hierarchies with 16 threads. Setting CH node vector of size 49985 Setting CH edge vector of size 66499 Range graph removed 444 edges of 132998 . 10% . 20% . 30% . 40% . 50% . 60% . 70% . 80% . 90% . 100%

<pandana.network.Network at 0x7fbbc3db5d00>

#### Shortest-path routing

How do I go from A to B?

For example, from the first Airbnb in the geo-table...

first = abbs.loc[[0], :].to\_crs(streets.crs)

...to Puerta del Sol.

```
import geopy
geopy.geocoders.options.default_user_agent = "gds4ae"
sol = geopandas.tools.geocode(
    "Puerta del Sol, Madrid", geopy.Nominatim
).to_crs(streets.crs)
sol
```

#### geometry

address

0 POINT (440247.314 4474264.131) Puerta del Sol, Barrio de los Austrias, Sol, C...

First we *snap* locations to the network:

```
pt_nodes = streets_pdn.get_node_ids(
    [first.geometry.x.iloc[0], sol.geometry.x.iloc[0]],
    [first.geometry.y.iloc[0], sol.geometry.y.iloc[0]]
)
pt_nodes
0 3071
1 35731
Name: node_id, dtype: int64
```

Then we can route the shortest path:

```
route_nodes = streets_pdn.shortest_path(
    pt_nodes[0], pt_nodes[1]
)
route_nodes
array([ 3071, 3476, 8268, 8266, 8267, 18695, 18693, 1432, 1430,
    353, 8175, 8176, 18121, 17476, 16858, 14322, 16857, 17810,
    44795, 41220, 41217, 41221, 41652, 18924, 18928, 48943, 18931,
    21094, 21095, 23219, 15398, 15399, 15400, 47446, 47447, 23276,
    47448, 23259, 23260, 23261, 27951, 27952, 27953, 48327, 11950,
    11949, 11944, 19475, 19476, 27333, 30088, 43294, 11940, 11941,
    11942, 48325, 37484, 48316, 15893, 15890, 15891, 29954, 25453,
    7341, 34991, 23608, 28217, 21648, 21649, 21651, 39075, 25108,
    25102, 25101, 25100, 48518, 47287, 34623, 31187, 29615, 48556,
    22844, 48553, 48555, 40922, 40921, 40923, 48585, 46372, 46371,
    46370, 45675, 45676, 38778, 38777, 19144, 20498, 20497, 20499,
    47737, 42303, 42302, 35730, 35727, 35729, 35731])
```

With this information, we can build the route line manually:

#### Attention

The code to generate the route involves writing a function and is a bit more advanced than expected for this course. If this looks too complicated, do not despair. Also, please note this builds a *simplified* line for the route, not one that is based on the original geometries (distance calculations *are* based on the original network).



We can calculate the route:

route = route\_nodes\_to\_line(route\_nodes, streets\_pdn)

And we get it back as a geo-table (with one row):

route

build/jupyter\_execute/co

	src_node	tgt_node	geometry
0	3071	3476	LINESTRING (442606.507 4478714.516, 442597.100

If we wanted to obtain the length of the route:

route\_len = streets\_pdn.shortest\_path\_length(
 pt\_nodes[0], pt\_nodes[1]
)
round(route\_len / 1000, 3) # Dist in Km
5.514

#### Challenge

- What is the network distance between CEMFI and Puerta del Sol?
- BONUS I: how much longer is it than if you could fly in a straight line?
- · BONUS II: if one walks at a speed of 5 Km/h, how long does the walk take you?

#### Weighted routing

How do I go from A to B passing by the "best" buildings?

This is really an extension of standard routing that takes advantage of the flexibility of pandana.Network objects.

The overall process is the same; the main difference is, when we build the Network object, to replace distance (mm\_len) with a measure that *combines* distance and building quality. Note that we want to *maximise* building quality, but the routing algorithms use a *minimisation* function. Hence, our composite index will need to reflect that.

\_build/jupyter\_execute/co

The strategy is divided in the following steps:

- 1. Re-scale distance between 0 and 1
- 2. Build a measure inverse to building quality in the ([0, 1]) range
- 3. Generate a combined measure (wdist) by picking a weighting parameter
- 4. Build a new Network object that incorporates wdist instead of distance
- 5. Compute route between the two points of interest

For 1., we can use the scaler in scikit-learn:

from sklearn.preprocessing import minmax\_scale

Then generate and attach to edges a scaled version of mm\_len:

```
edges["scaled_dist"] = minmax_scale(edges["mm_len"])
```

We move on to 2., with a similar approach. We will use the negative of the building quality average (average\_quality):

\_build/jupyter\_execute/co

```
edges["scaled_inv_bquality"] = minmax_scale(
        -edges["average_quality"]
)
```

Taking 1. and 2. into 3. we can build wdist. For this example, we will give each dimension the same weight (0.5), build/jupyter\_execute/co

```
w = 0.5
edges["wdist"] = (
    edges["scaled_dist"] * w +
    edges["scaled_inv_bquality"] * (1-w)
)
```

Now we can recreate the Network object based on our new measure (4.) and provide routing. Since it is the same process as with distance, we will do it all in one go:

```
# Build new graph object
w_graph = pandana.Network(
    nodes.geometry.x,
    nodes.geometry.y,
    edges["node_start"],
    edges["node_end"],
    edges[["wdist"]]
)
# Snap locations to their nearest node
pt_nodes = w_graph.get_node_ids(
    [first.geometry.x.iloc[0], sol.geometry.x.iloc[0]],
    [first.geometry.y.iloc[0], sol.geometry.y.iloc[0]]
# Generate route
w_route_nodes = w_graph.shortest_path(
    pt_nodes[0], pt_nodes[1]
)
# Build LineString
w_route = route_nodes_to_line(
    w_route_nodes, w_graph
)
```

Generating contraction hierarchies with 16 threads. Setting CH node vector of size 49985 Setting CH edge vector of size 66499 Range graph removed 444 edges of 132998 . 10% . 20% . 30% . 40% . 50% . 60% . 70% . 80% . 90% . 100%

Now we are ready to display it on a map:

```
# Building quality
ax = streets.plot(
    "average_quality"
    scheme="quantiles",
    cmap="magma",
    linewidth=0.5,
    figsize=(9, 9)
)
# Shortest route
route.plot(
    color="xkcd:orange red", linewidth=3, ax=ax, label="Shortest"
# Weighted route
w_route.plot(
    color="xkcd:easter green", linewidth=3, ax=ax, label="Weighted"
)
# Styling
ax.set_axis_off()
plt.legend();
```

Louild/jupyter\_execute/content/pages/07-Transport\_costs\_49\_0.png

#### Challenge

- 1. Explore the differences in the output of weighted routing if you change the weight between distance and the additional constrain.
- 2. Recreate weighted routing using the linearity of street segments. How can you go from A to B avoiding long streets?

#### Proximity

What is the nearest internet cafe for Airbnb's without WiFi?

First we identify Airbnb's without WiFi:

```
no_wifi = abbs.query(
    "WiFi == '0'"
).to_crs(streets.crs)
```

Then pull WiFi spots in Madrid from OpenStreetMap:

```
icafes = ox.features_from_place(
    "Madrid, Spain", tags={"amenity": "internet_cafe"}
).to_crs(streets.crs).reset_index()
```

```
ax = no_wifi.plot(
    color="red",
    markersize=1,
    alpha=0.5,
    label="Airbnb no WiFi",
    figsize=(9, 9)
)
icafes.plot(
    ax=ax, color="lime", label="Internet cafes"
)
contextily.add_basemap(
    ax,
    crs=no_wifi.crs,
    source=contextily.providers.CartoDB.Voyager
)
ax.set_axis_off()
plt.legend()
plt.show()
```

Louild/jupyter\_execute/content/pages/07-Transport\_costs\_57\_0.png

- 1. Add the points of interest (POIs, the internet cafes) to the network object (streets\_pdn)
- 2. Find the nearest node to each POI
- 3. Find the nearest node to each Airbnb without WiFi
- 4. Connect each Airbnb to its nearest internet cafe

We can add the internet cafes to the network object (1.) with the set\_pois method:

Note we set maxitems=1 because we are only going to query for the nearest cafe. This will make computations much faster

```
streets_pdn.set_pois(
    category="Internet cafes", # Our name for the layer in the `Network`
object
    maxitems=1, # Use to count only nearest cafe
    maxdist=100000, # 100km so everything is included
    x_col=icafes.geometry.x, # X coords of cafes
    y_col=icafes.geometry.y, # Y coords of cafes
)
```

Once the cafes are added to the network, we can find the nearest one to each node (2.):

Note there are some nodes for which we can't find a nearest cafe. These are related to disconnected parts of the network

	dist2icafe	poi1	osmid	name
nodeID				
0	5101.421875	9.0	3.770327e+09	Silver Envíos 2
1	5190.265137	9.0	3.770327e+09	Silver Envíos 2
2	5252.475098	9.0	3.770327e+09	Silver Envíos 2
3	5095.101074	9.0	3.770327e+09	Silver Envíos 2
4	5676.117188	9.0	3.770327e+09	Silver Envíos 2

Note that, to make things easier down the line, we can link cafe2nnode to the cafe IDs.

And we can also link Airbnb's to nodes (3.) following a similar approach as we have seen above:

```
26 8872
50 10905
62 41158
63 34257
221 32215
Name: node_id, dtype: int64
```

Finally, we can bring together both to find out what is the nearest internet cafe for each Airbnb (4.):

	geometry	nnode	dist2icafe	poi1	osmid	name
26	POINT (443128.256 4483599.841)	8872	4926.223145	9.0	3.770327e+09	Silver Envíos 2
50	POINT (441885.677 4475916.602)	10905	1876.392944	19.0	6.922981e+09	Locutorio
62	POINT (440439.640 4476480.771)	41158	1164.812988	17.0	5.573414e+09	NaN
63	POINT (438485.311 4471714.377)	34257	1466.537964	5.0	2.304485e+09	NaN
221	POINT (439941.104 4473117.914)	32215	354.268005	15.0	5.412145e+09	NaN

#### Challenge

Calculate distances to nearest internet cafe for ABBs *with* WiFi. On average, which of the two groups (with and without WiFi) are closer to internet cafes?

#### Accessibility

This flips the previous question on its head and, instead of asking what is the nearest POI to a given point, along the network (irrespective of distance), it asks how many POIs can I access within a network-based distance radious?

```
%%time
parks = ox.features_from_place(
    "Madrid, Spain", tags={"leisure": "park"}
).to_crs(streets.crs)
```

CPU times: user 382 ms, sys: 461  $\mu s,$  total: 382 ms Wall time: 385 ms

How many parks are within 500m(-euclidean) of an Airbnb?

We draw a radious of 500m around each AirBnb:

```
buffers = geopandas.GeoDataFrame(
    geometry=abbs.to_crs(
        streets.crs
    ).buffer(
        500
    )
)
```

Then intersect it with the location of parks, and count by buffer (ie. Airbnb):

```
park_count = geopandas.sjoin(
    parks, buffers
).groupby(
    "index_right"
).size()
```

How many parks are within 500m(-network) of an Airbnb?

We need to approach this as a calculation within the network. The logic of steps thus looks like:

- 1. Use the aggregation module in pandana to count the number of parks within 500m of each node in the network
- 2. Extract the counts for the nodes nearest to Airbnb properties
- 3. Assign park counts to each Airbnb

We can set up the aggregate engine (1.). This involves three steps:

a. Obtain nearest node for each park

```
parks_nnode = streets_pdn.get_node_ids(
    parks.centroid.x, parks.centroid.y
)
```

b. Insert the parks' nearest node through set so it can be "aggregated"

```
streets_pdn.set(
    parks_nnode, name="Parks"
)
```

c. "Aggregate" for a distance of 500m, effectively counting the number of parks within 500m of each node

```
parks_by_node = streets_pdn.aggregate(
    distance=500, type="count", name="Parks"
)
parks_by_node.head()
nodeID
0
     5.0
1
     5.0
2
     6.0
3
     8.0
4
     1.0
dtype: float64
```

At this point, we have the number of parks within 500m of *every* node in the network. To identify those that correspond to each Airbnb (3.), we first pull out the nearest nodes to each ABB:

And use the list to asign the count of the nearest node to each Airbnb:

```
park_count_network = abbs_nnode.map(
    parks_by_node
)
park_count_network.head()
0     4.0
1     9.0
2     5.0
3     0.0
4     12.0
Name: node_id, dtype: float64
```

#### For which areas do both differ most?

We can compare the two counts above to explore to what extent the street layout is constraining access to nearby parks.

```
park_comp = geopandas.GeoDataFrame(
    {
        "Euclidean": park_count,
        "Network": park_count_network
    },
    geometry=abbs.geometry,
    crs=abbs.crs
)
ax = park_comp.plot.scatter("Euclidean", "Network")
ax.axline([0, 0], [1, 1], color='red');# 45deg line
```



And, geographically:

Note there are a few cases where there are more network counts than Euclidean. These are due to the slight inaccuracies introduced by calculating network distances from nodes rather than the locations themselves

```
f, axs = plt.subplots(1, 3, figsize=(15, 5))
# Euclidean count
abbs.to_crs(
    streets.crs
) assign(
    n_parks=park_count
).fillna(0).plot(
    "n_parks"
    scheme="fisherjenkssampled",
    alpha=0.5,
    markersize=1,
    figsize=(9, 9),
    legend=True,
    ax=axs[0]
)
contextily.add_basemap(
    axs[0],
    crs=streets.crs,
    source=contextily.providers.CartoDB.PositronNoLabels
)
axs[0].set_axis_off()
axs[0].set_title("Euclidean Distances")
# Count difference
with_parks = park_comp.query(
    "(Network > 0) & (Euclidean > 0)"
)
count_diff = 100 * (
    with_parks["Euclidean"] -
with_parks["Network"]
) / with_parks["Euclidean"]
abbs.to_crs(
    streets.crs
).assign(
    n_parks=count_diff
).dropna().plot(
    "n_parks"
    scheme="fisherjenkssampled",
    alpha=0.5,
    markersize=1,
    figsize=(9, 9),
    legend=True,
    ax=axs[1]
)
contextily.add_basemap(
    axs[1],
    crs=streets.crs,
    source=contextily.providers.CartoDB.PositronNoLabels
)
axs[1].set_axis_off()
axs[1].set_title("Count Difference (%)")
# Network count
abbs.to_crs(
    streets.crs
).assign(
    n_parks=park_count_network
).fillna(0).plot(
    "n_parks"
    scheme="fisherjenkssampled",
    alpha=0.5,
    markersize=1,
    figsize=(9, 9),
    legend=True,
    ax=axs[2]
)
contextily.add_basemap(
    axs[2],
    crs=streets.crs,
    source=contextily.providers.CartoDB.PositronNoLabels
)
axs[2].set_axis_off()
axs[2].set_title("Network Distances")
plt.show()
```

build/jupyter\_execute/content/pages/07-Transport\_costs\_93\_0.png

#### Challenge

Calculate accessibility to other ABBs from each ABB through the network. How many ABBs can you access within 500m of each ABB?

Note you will need to use the locations of ABBs both as the source and the target for routing in this case.

## 🐾 Next steps

If you found the content in this block useful, the following resources represent some suggestions on where to go next:

• The pandana tutorial and documentation are excellent places to get a more detailed and comprehensive view into the functionality of the library

# Web mapping with CARTO

### Ahead of time...

#### 🕕 Important

REQUIRED You will need to have a (free) account with CARTO to complete this session.

There are several ways of obtaining a free account. The recommended one is to sign up for <u>CARTO for education</u>. Follow the steps provided in the link, which boil down to:

- 1. Sign up for Github (if you do not have an account already)
- 2. Apply for the Github Education Pack
- 3. Wait for verification and confirm. This could take from 1h to several days.
- 4. Claim your CARTO student account

#### 🛕 Danger

IMPORTANT Do not sign up for a free trial, as this is limited to a couple of weeks

Hands-on

Note

Please refer to the lecture demo for details on how to do achieve the goals outlined in this page.

In this session, we will explore the <u>CARTO platform</u>. This will be a whirlwind tour of some of the main things you can do within the platform, and its potential.

#### Data

For this overview, we will use the dataset of <u>Cambodian regions</u> we have used earlier in the course.

#### Workflow

Data ingestion

- Data Explorer
- Import data (remote link)
  - Regions
  - Cities

#### My first map

- Map Vs data pages
- Create a map
- Parts of Builder
  - Map view
  - Sources
  - Layers
- Control tabs
  - Layer properties
  - Widgets
  - Interactions
  - Legend
  - Basemap
- Perspective

#### Interactivity

- Pan, zoom
- Tooltips
- Widgets

#### Choropleths

- Color palettes
- Algorithms

#### 3D

• Enable 3D

#### Publishing and sharing

- Publish
- Publish updates

#### Challenge

Pick a dataset from the GDS Book (or an alternative dataset you're familiar with) and replicate the workflow above to make a map.

## 🐾 Next steps

# Datasets

This section covers the datasets required to run the course interactively. For archival reasons, all of those listed here have been mirrored in the repository for this course so, if you have <u>downloaded the course</u>, you already have a local copy of them.

### Madrid

#### Airbnb properties

#### Source

This dataset has been sourced from the course <u>"Spatial Modelling for Data Scientists"</u>. The file imported here corresponds to the  $\underline{v0.1.0}$  version.

This dataset contains a pre-processed set of properties advertised on the AirBnb website within the region of Madrid (Spain), together with house characteristics.

- 💼 Data file <u>madrid abb.gpkg</u>
- min Code used to generate the file [URL]
- Furhter information [URL]



This dataset is licensed under a CC0 1.0 Universal Public Domain Dedication.

#### Airbnb neighbourhoods

#### Source

This dataset has been directly sourced from the website Inside Airbnb. The file was imported on February 10th 2021.

This dataset contains neighbourhood boundaries for the city of Madrid, as provided by Inside Airbnb.

- Tata file <u>neighbourhoods.geojson</u>
- Furhter information [URL]



This dataset is licensed under a <u>CC0 1.0 Universal Public Domain Dedication</u>.

### Arturo

This dataset contains the street layout of Madrid as well as scores of habitability, where available, associated with street segments. The data originate from the <u>Arturo Project</u>, by <u>300,000Km/s</u>, and the available file here is a slimmed down version of their official <u>street</u> <u>layout</u> distributed by the project.

- 💼 Data file <u>arturo streets.gpkg</u>
- m Code used to generate the file [Page]
- Furhter information [URL]

### 0 0

This dataset is licensed under a Creative Commons Attribution-ShareAlike 4.0 International License.

#### Sentinel 2 - 120m mosaic

This dataset contains four scenes for the region of Madrid (Spain) extracted from the <u>Digital Twin Sandbox Sentinel-2 collection</u>, by the SentinelHub. Each scene corresponds to the following dates in 2019:

- January 1st
- April 1st
- July 10th
- November 17th

Each scene includes red, green, blue and near-infrared bands.

- 言 Data files (<u>Jan 1st</u>, <u>Apr 1st</u>, <u>Jul 10th</u>, <u>Nov 27th</u>)
- min Code used to generate the file [Page].
- Furhter information [URL]

### $\odot$ $\odot$ $\odot$

This dataset is licensed under a Creative Commons Attribution-ShareAlike 4.0 International License.

#### Sentinel 2 - 10m GHS composite

This dataset contains a scene for the region of Madrid (Spain) extracted from the GHS Composite S2, by the European Commission.

- Tata file madrid scene s2 10 tc.tif
- image: Code used to generate the file [Page].
- Furhter information [URL]

### © 0 0

This dataset is licensed under a Creative Commons Attribution-ShareAlike 4.0 International License.

### Cambodia

#### Pollution

Surface with \(NO\_2\) measurements (tropospheric column) information attached from Sentinel 5.

- 💼 Data file <u>cambodia s5 no2.tif</u>
- min Code used to generate the file [Page]
- Furhter information [URL]

#### Friction surfaces

This dataset is an extraction of the following two data products by Weiss et al. (2020) [WNVR+20] and distributed through the Malaria Atlas Project:

 Global friction surface enumerating land-based travel walking-only speed without access to motorized transport for a nominal year 2019 (Minutes required to travel one metre) Global friction surface enumerating land-based travel speed with access to motorized transport for a nominal year 2019 (Minutes required to travel one metre)

Each is provided on a separate file.

- Data files (<u>Motorized</u> and <u>Walking</u>)
- min Code used to generate the file [Page].
- Furhter information [URL]

#### **Regional aggregates**

#### Source

This dataset relies on boundaries from the <u>Humanitarian Data Exchange</u>. <u>The file</u> is provided by the World Food Programme through the Humanitarian Data Exchange and was accessed on February 15th 2021.

Pollution and friction aggregated at Level 2 (municipality) administrative boundaries for Cambodia.

- 💼 Data file <u>cambodia regional.gpkg</u>
- image: mage of the second secon

### $\odot$ $\odot$

This dataset is licensed under a Creative Commons Attribution 4.0 International License.

#### Cambodian cities

Extract from the Urban Centre Database (UCDB), version 1.2, of the centroid for Cambodian cities.

- 💼 Data file <u>cambodian cities.geojson</u>
- image: mage of the second secon
- Furhter information [URL]



This dataset is licensed under a Creative Commons Attribution 4.0 International License.

## **Further Resources**

If this course is successful, it will leave you wanting to learn more about using Python for (Geographic) Data Science. See below a few resources that are good "next steps".

### Courses

• The "Automating GIS processes", by Vuokko Heikinheimo and Henrikki Tenkanen is a great overview of GIS with a modern Python stack:

https://autogis-site.readthedocs.io/

 The "GDS Course" by Dani Arribas-Bel [AB19] is an introductory level overview of Geographic Data Science, including notebooks, slides and video clips.

https://darribas.org/gds\_course

### Books

• "Python for Geographic Data Analysis", by Henrikki Tenkanen, Vuokko Heikinheimo and David Whipp:

https://pythongis.org/

• "Geographic Data Science in Python", by Sergio J. Rey, Dani Arribas-Bel and Levi J. Wolf:

https://geographicdata.science

# Bibliography

- **ASP19** Jennings Anderson, Dipto Sarkar, and Leysia Palen. Corporate editors in the evolving landscape of openstreetmap. *ISPRS International Journal of Geo-Information*, 8(5):232, 2019.
- AB19 Dani Arribas-Bel. A course on geographic data science. *The Journal of Open Source Education*, 2019. <u>doi:https://doi.org/10.21105/jose.00042</u>.
- **Boe20** Geoff Boeing. Exploring urban form through openstreetmap data: a visual introduction. *arXiv preprint arXiv:2008.12142*, 2020.
- **BAB20** Geoff Boeing and Dani Arribas-Bel. Gis and computational notebooks. In John P. Wilson, editor, *The Geographic Information Science & Technology Body of Knowledge*. UCGIS, 2020.
- Bre15 Cynthia Brewer. Designing better Maps: A Guide for GIS users. ESRI press, 2015.
- **McK12** Wes McKinney. *Python for data analysis: Data wrangling with Pandas, NumPy, and IPython.* O'Reilly Media, Inc., 2012.
- **RABWng** Sergio J. Rey, Daniel Arribas-Bel, and Levi J. Wolf. *Geographic Data Science with PySAL and the PyData stack*. CRC press, forthcoming.
- RBZ+19 Adam Rule, Amanda Birmingham, Cristal Zuniga, Ilkay Altintas, Shih-Cheng Huang, Rob Knight, Niema Moshiri, Mai H Nguyen, Sara Brin Rosenthal, Fernando Pérez, and others. Ten simple rules for writing and sharing computational analyses in jupyter notebooks. *PLoS Comput Biol*, 2019. doi:https://doi.org/10.1371/journal.pcbi.1007007.
- **SAB19** Alex Singleton and Daniel Arribas-Bel. Geographic data science. *Geographical Analysis*, 2019.
- **WNVR+20** DJ Weiss, A Nelson, CA Vargas-Ruiz, K Gligorić, S Bavadekar, E Gabrilovich, A Bertozzi-Villa, J Rozier, HS Gibson, T Shekel, and others. Global maps of travel time to healthcare facilities. *Nature Medicine*, 26(12):1835–1838, 2020.

#### By Dani Arribas-Bel & Diego Puga

### 

Data Science Studio by <u>Dani Arribas-Bel</u> and <u>Diego Puga</u> is licensed under a <u>Creative Commons Attribution-ShareAlike 4.0</u> <u>International License</u>.